Argent

Porcelain Stone®

Color Palette A1401 ▶ Winter Garden **A1413** ▶ Under the Sea **A1410** ▶ Orange Crush $\parallel \parallel \parallel$ A1417 ▶ Clean Slate **A1405** ▶ Hollywood and Vine A1402 ▶ Sacred Sand A1411 ▶ Sunset Boulevard III **A1414** ▶ Carnegie Cool **A1409** ▶ Lemon Drop **A1406** ▶ Emerald City **A1412** ▶ Chicago Fire |||**A1415** ▶ Memphis Blues III **A1416** ▶ Grapes of Wrath III **A1403** ▶ No Reservations **A1407** ▶ Water Vapors A1418 ▶ Concrete Jungle I **A1408** ▶ Glacier Lake **A1419** ▶ Muddy Waters **A1404** ▶ Cowboy Up A1420 ▶ On the Rocks I = Price Group I, II = Price Group II, III = Price Group III



Argent

Porcelain Stone®

Sizes & Finishes

Field Tile - Rectified		Available in a	Available in all colors		
Nominal (in)	Actual (mm)	Thickness (m	nm) Grout Join	nt (mm) Finish	
6 x 6*	147 x 147	9.5	3	UPS	
6 x 24*	147 x 602.5	9.5	3	UPS	
12 x 24	299 x 602.5	9.5	3	UPS/HON	

HON (Honed finish) is semi-polished

All field tiles except $12 \times 12^*$ are rectified. Crossville recommends a minimum 3 mm grout joint.

 $12 \ \mathrm{x} \ 12$ is non-rectified, Crossville recommends a minimum 3/16" grout joint.

Nominal (in)	Actual (in)	Thickness (mm)	Grout Joint (in)	Finish
12 x 12*†	11-13/16 x 11-13/16	9.5	3/16	UPS

^{*}HON finish available through special order

Nominal (in) Actual (mm) Thickness (mm) Grout Joint (mm) Finish 6 x 12 Cove Base 147 x 299 9.5 3 UPS 4 x 12 Single Bullnose 96 x 299 9.5 UPS







4 x 12 Single Bullnose (available in all colors)

Product Performance


Breaking Strength	>450 lbf	ASTM C648
Bond Strength	>200 psi	ASTM C482
Chemical Resistance	Unaffected	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Water Absorption	<0.50%	ASTM C373
Scratch Hardness	7	Mohs Scale

Wet	Dynamic	COF
-----	----------------	-----

UPS	.50 – .60	ANSI A326.3
HON	.42 – .52	ANSI A326.3

Shade & Texture Index

Argent has a shade variation of V2.



This porcelain tile product is produced with a V2 variation. Differences among pieces from the same production run are minimal. Inspect the product upon delivery and for best results, blend tile from several cartons during installation.

Sizes (UPS and HON Finish)









Get Planked!

Our Porcelain Stone® products are available in popular plank shapes with no minimum order and quick fulfillment. Depending on the product, there are up to 4 widths and 7 lengths, creating more than 2,796 combinations.



A1405 ► Hollywood and Vine 12 x 24, 6 x 24 and 3 x 24 **A1406** ► Emerald City 12 x 24, 6 x 24 and 3 x 24

Application Areas

Finish	Interior Floors (dry)	Interior Walls (wet/dry)	Exterior Walls	Interior Floors (Standing water/ shower floors)	Exterior/Paving	Pool/Fountain Full Lining**	Water Line Pool/ Fountains
UPS	✓	✓	✓			✓	✓
HON	✓	✓	✓			✓	✓

^{**} Excludes mesh mounted mosaics. Crossville recommends face mounted or edge mounted mosaics for fully submerged applications. Contact your Crossville sales representative for more information.

For more information on ANSI- A362.3 visit our website at https://www.crossvilleinc.com/Resources/Tile-101/DCOF?tab=1





[†] Calibrated and measured in inches

Argent

Crossville, Inc.

PO Box 1168 Crossville, TN 38557

931.484.2110 Phone 931.456.2956 Fax

E-Mail Crossc@CrossvilleInc.com

Web CrossvilleInc.com

Features and Benefits

- · Broad coordinating color palette provides dramatic design versatility
- Rectangular sizes are enhanced with Get Planked® options
- · Cross-Sheen® finish for easy cleaning (available on UPS only)
- Honed colors available in stock as 12 x 24
- Green Squared certified and made in the USA.

Recommended Use

Argent's recommended for interior floors, interior walls, countertops, exterior walls, pool waterlines and full linings† in both residential and commercial applications. The honed finish is not recommended for wet areas where standing water may occur. Argent is not recommended for exterior horizontal surfaces or exterior paving. See CrossvilleInc.com for detailed installation instructions.

†Excludes mesh mounted mosaics.

Care and Maintenance

Regular cleaning is the best way to keep Argent tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More Information regarding the care and maintenance of Crossville® products is available at CrossvilleInc.com.

Our Warranty

Crossville Inc. guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1-2022 and in the performance data section of the Crossville, Inc. general product catalog. For complete details check our website at CrossvilleInc.com.

Information listed here is subject to change. Please refer to CrossvilleInc. com for the latest, most accurate information

Crossville Sample Express

Visit the website to learn more: CrossvilleInc.com/Products/ Argent

Loose Tile Samples

Sizes may vary depending on product series Max. of 4 large field tile per order

Standard Shipping

FedEX Ground

For over 20 years we have been offering Porcelain tile to commercial customers at National Accounts pricing programs with special discounts. The National Accounts department provides materials forecasting, sales support and samples.

CrossvilleInc.com

If you want a better idea of what Crossville tile would look like in a particular room setting, simply visit our website and click on Cross-Vision. This powerful software tool allows you to visualize different types of Crossville tile. In addition, you'll find comprehensive information about Crossville's entire portfolio of products. You can also learn about the latest styles and trends from industry experts, download detailed care and maintenance instructions for our various products, or browse electronic versions of Crossville's product brochures. So whether you need information about Crossville products or tile in general, please visit us at CrossvilleInc.com. Information listed here is subject to change.



A1409 ▶ Lemon Drop 6 x 24 **A1402** ▶ Winter Garden 12 x 24

Trade Organizations













Environmentally Aware







